

T	inda	R	Couto	. Ph.D.
L	ında	D.	Coulo	. PII.D.

Director of Hematology

Director of Housetology, Assign Inc. Alamada CA

Massachusetts Institute of Technology, Cambridge, MA	Ph.D.	1985	Toxicology
Northeastern University, Boston, MA	B.S.	1977	Biology

Research and Professional Experience

1999 - Present	Director of Hematology, Avigen Inc., Alameda, CA
1997 - 1999	Group Leader, Avigen, Inc., Alameda, CA
1995 - 1997	Research Scientist, Avigen, Inc., Alameda, CA
1991 - 1995	Research Scientist, Somatix, Inc., Alameda, CA
1988 - 1990	Post-doctoral Fellow, Lawrence Berkeley Laboratory, Berkeley, CA
1985 - 1988	NIH Post-doctoral Fellow, Stanford University School of Medicine, Stanford, CA
1979 - 1985	Ph.D. Student, Massachusetts Institute of Technology, Cambridge, MA

Education

Ph.D., Toxicology, Massachusetts Institute of Technology, Cambridge, MA, 1985 B.S., Biology, Northeastern University, Boston, MA, 1977

Publications

- Kay M.A., Manno C.S., Ragni M.V., Larson P.J., Couto L.B., McClelland A., Glader B., Chew A.J., Herzog R.W., Arruda V., Johnson F., Scallan C., Skarsgard E., Flake A.W., High K.A. (2000). Evidence for gene transfer and expression of factor IX in haemophilia B patients treated with an AAV vector. Nat Genet. Mar;24(3): 257-61.
- Burton M., Nakai H., Colosi P., Cunningham J., Mitchell R., Couto L. (1999). Coexpression of factor VIII heavy and light chain adeno-associated viral vectors produces biologicially active protein. Proc. Natl. Acad. Sci. USA Oct 26;96 (22):12725-30.
- Nakai H., Iwaki Y., Kay M.A., Couto L.B. (1999). Isolation of recombinant adeno-associated virus vector-cellular DNA junctions from mouse liver. J Virol. Jul;73(7):5438-47.
- Herzog R.W., Yang E.Y., Couto L.B., Hagstrom J.N., Elwell D., Fields P.A., Burton M., Bellinger M.S., Brinkhous K.M., Podsakoff G.M., Nichols T.C., Kurtzman G.J., High K.A. (1999) Long-term correction of canine hemophilia B by gene transfer of blood coagulation factor IX mediated by adeno-associated viral vector. Nat Med. Jan;5(1):56-63.
- Nakai H., Herzog R.W., Hagstrom J.N., Walter J., Kung S.H., Yang E.Y., Tai S.J., Iwaki Y., Kurtman G.J., Fisher K.J., Colosi P., Couto L.B., High K.A. (1998) Adeno-associated viral vector-mediated gene transfer of human blood coagulation factor IX into mouse liver. Blood. Jun 15;91(12):4600-7.
- Dwarki VJ, Belloni, P., Nijjar, T., Smith, J., Couto, L., Rabier, M., Clift, S., Berns, A. and Cohen, L.J. (1995). Gene therapy for Hemophilia A: Production of therapeutic levels of human factor VIII in vivo in mice. Proc. Natl. Acad. Sci. USA 92: 1023-1027.
- Couto, L.B., Spangler, E.A. and Rubin, E.M. (1989). A method for the preparative isolation and concentration of intact yeast artificial chromosomes. Nucleic Acids Res. 17: 8010.

- Couto, L.B., Chaudhuri, I., Donahue, B.A., Demple, B. and Essigmann, J.M. (1989). Separation of the SOS-dependent and SOS-independent components of alkylating agent mutagenesis. J. Bacteriol. 171: 4170-4177.
- Couto, L.B. and Friedberg, E.C. (1989). Nucleotide sequence of the wild-type RAD4 gene of Saccharomyces cerevisiae and characterization of mutant rad4 alleles. J. Bacteriol. 171: 1862-1869.
- Lambert, C., Couto, L.B., Weiss, W.A., Schultz, R., Thompson, L.H. and Friedberg, E.C. (1988). A yeast DNA repair gene partially complements defective excision repair in mammalian cells. EMBO J. 7: 3245-3253.
- Burtscher, H.J., Cooper, A.J. and Couto, L.B. (1988). Cellular responses to DNA damage in the yeast Saccharomyces cerevisiae. Mutation Res. 194: 1-8.
- Friedberg, E.C., Burtscher, H.J., Cooper, A.J., Couto, L.B., Harosh, I., Kalainov, D., Lambert, C.M., Naumovski, L., Robinson, G.W., Siede, W., Song, J-M. and Weiss, W.A. (1988). *RAD* genes and Rad proteins for nucleotide excision repair in the yeast *Saccharomyces cerevisiae*. In: "Mechanisms and Consequences of Genomic Damage Processing." E.C. Friedberg and P.C. Hanawalt (eds.), Alan R. Liss, New York (in press).
- Friedberg, E.C., Cooper, A.J., Couto, L., Fleer, R., Naumovski, L., Nicolet, C.M., Robinson, G.R. and Weiss, W.A. (1988). Yeast as a eukaryotic model for the study of nucleotide excision repair. In: "DNA Repair A laboratory manual of research procedures." E.C. Friedberg and P.C. Hanawalt (eds.), Vol. 3. Marcel Dekker, Inc., New York, NY, pp. 1-37.
- Friedberg, E.C., Cooper A.J., Couto, L., Fleer, R., Kalainov, D., Naumovski, L., Nicolet, C.M., Rehm, J., Robinson, G.W., Ryu, B.H., Sugino, A., Sugino, T., Weiss, W.A. and Yang, E. (1987). Recent advances in the characterization of genes and proteins for nucleotide excision repair in the yeast S. cerevisiae. Photobiochem. And Photobiophys. (Suppl.) 333: 341.
- Couto, L.B., Loechler, E.L., Green, C.L. and Essigmann, J.M. (1986.) Investigations of the DNA lesions responsible for alkylating agent-induced mutagenesis. UCLA Symposia on Molecular and Cellular Biology 40: 427-440. (Symposia on Biochemical and Molecular Epidemiology of Cancer). Alan R. Liss, Inc., New York.
- Essigmann, J.M., Barker, L.J.*, Fowler, K.W., Francisco, M.A., Reinhold, V.N. and Wogen, G.N. (1979) Sterigmatocystin-DNA interations: Identification of a major adduct formed after metabolic activation *in vitro*. Proc. Natl. Acad. Sci. USA 76: 179-183.

^{*} maiden name of Couto, L.B.